



MINIMUM TREE PROTECTION DISTANCE FROM TRUNK:

< 10cm DBH	1.2m
10-29cm DBH	1.8m
30-40cm DBH	2.4m
41-50cm DBH	3.0m
51-60cm DBH	3.6m
61-70cm DBH	4.2m
71-80cm DBH	4.8m
81-90cm DBH	5.4m
91-100cm DBH	6.0m
> 100cm DBH	6cm/1cmØ

(DIAMETER AT BREAST HEIGHT) DBH = TRUNK DIAMETER AT 1.4m HEIGHT

40cmx60cm SIGN MOUNTED ON ALL SIDES OF BARRIER

TREE PROTECTION NOTES:

1. ALL TREE PROTECTION BARRIERS SHALL BE IN PLACE AND APPROVED BY THE TOWN PRIOR TO CONSTRUCTION ACCESS.
2. ALL SUPPORTS AND STAKES SHALL BE OUTSIDE THE TREE PROTECTION ZONE AND SHALL MINIMIZE ROOT DAMAGE.
3. TREE PROTECTION BARRIERS SHALL REMAIN IN PLACE AND IN GOOD CONDITION UNTIL ALL CONSTRUCTION IS COMPLETE AND APPROVED BY THE TOWN.
4. ALL ARBORICULTURE WORK SUCH AS PRUNING OF BRANCHES AND ROOTS, SHALL BE DONE BY A QUALIFIED TREE WORKER CERTIFIED WITH THE INTERNATIONAL SOCIETY OF ARBORICULTRE APPROVED BY THE TOWN.

ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE SHOWN



TREE PROTECTION ZONE

NO WORK IS PERMITTED WITHIN THE TREE PROTECTION ZONE INCLUDING GRADING, CONSTRUCTION ACCESS AND MATERIAL STORAGE.

BREACH OF TREE PROTECTION ZONE IS SUBJECT TO A FINE OF \$_____

CONTACT TOWN OF MARKHAM FOR MORE INFORMATION: 905-477-5530



ENGINEERING DEPARTMENT

DRAWING NAME:

TREE PRESERVATION
DETAILS

SCALE:

NTS

REV:

0

DATE:

SEPTEMBER
2010

APPROVED BY:

[Signature]
DIRECTOR OF ENGINEERING

DWG. NO.

MPI2